


monza **mirage**.com



rob@monzamirage.com

Att: Mike
Qukuiken

monza mirage



WIMMJET Chevrolet
P.O. Box 692
Orange Park, FL 32067

?

mirage

MASTER PARTS AND ILLUSTRATIONS CATALOG

TABLE OF CONTENTS

<u>SECTION</u>	<u>CONTENTS</u>
AA	GENERAL INFORMATION
BB	VEHICLE IDENTIFICATION
CC	COLORS
DD	PARTS IDENTIFICATION BY PARTS NUMBERS CODES
EE	BODY PARTS - MASTER LIST AND ILLUSTRATIONS
FF	STRIPING PARTS - MASTER LIST AND ILLUSTRATIONS
GG	BODY PARTS - PRICE SCHEDULE
HH	STRIPING PARTS - PRICE SCHEDULE

FIRST ISSUE, 11/76: INFORMATION, ILLUSTRATIONS AND SPECIFICATIONS CONTAINED IN THIS CATALOG ARE BASED ON THE LATEST PRODUCT INFORMATION AVAILABLE AT THE TIME OF PUBLICATION APPROVAL. THE RIGHT IS RESERVED TO MAKE CHANGES AT ANY TIME WITHOUT NOTICE IN PRICES, COLORS, MATERIALS, EQUIPMENT, SPECIFICATIONS AND MODELS AND TO DISCONTINUE MODELS. MICHIGAN AUTOMOTIVE TECHNIQUES CORPORATION, GRAND RAPIDS, MICHIGAN 49508.

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

SECTION AA

GENERAL INFORMATION

THE MONZA MIRAGE IS SPECIALLY PREPARED BY MICHIGAN AUTOMOTIVE TECHNIQUES CORPORATION IN GRAND RAPIDS MICHIGAN. THE MIRAGE PACKAGE AS INSTALLED BY AUTO TECHNIQUES CONSISTS OF FRONT FENDER FLARES, REAR FENDER FLARES, REAR DECK SPOILER, UNIQUE COMPETITION STRIPING AND GRAPHICS, AND BLACKED-OUT HEADLIGHT AND LOWER FRONT GRILLE OPENINGS. THE FRONT AIR DAM IS SHIPPED INSIDE THE VEHICLE FOR DEALER INSTALLATION TO FACILITATE LOADING AND UNLOADING DURING TRANSIT.

MICHIGAN AUTOMOTIVE TECHNIQUES CORPORATION WILL WARRANT

MICHIGAN AUTOMOTIVE TECHNIQUES CORPORATION WILL MATCH CHEVROLET DIVISIONS WARRANTY COVERING ANY DEFECTS IN MATERIALS OR WORKMANSHIP IN THE MIRAGE PACKAGE. AN AUTO TECHNIQUES WARRANTY CARD IS SHIPPED WITH EACH VEHICLE. IT IS THE RETAIL PURCHASER'S OBLIGATION TO FILL OUT THE NECESSARY INFORMATION ON THE WARRANTY CARD AND RETURN THE CARD BY MAIL TO AUTO TECHNIQUES. WARRANTY CLAIMS CANNOT BE PROCESSED FOR REPLACEMENT PARTS UNLESS THIS WARRANTY CARD IS ON FILE.

REPLACEMENT PARTS ARE AVAILABLE BY ORDERING DIRECTLY FROM MICHIGAN AUTOMOTIVE TECHNIQUES CORPORATION.

MAIL NECESSARY INFORMATION AND ORDER TO:

MICHIGAN AUTOMOTIVE TECHNIQUES CORP.
2369 BRETON INDUSTRIAL PARK, S.E.
GRAND RAPIDS, MICHIGAN 49508

REPLACEMENT PARTS NOT COVERED UNDER WARRANTY WILL BE INVOICED AT TIME OF PARTS SHIPMENT. INVOICES ARE DUE AT TIME OF RECEIPT. REPLACEMENT PARTS FOR A VEHICLE OTHER THAN RECORDED AS A SERIALIZED MIRAGE BUILT BY AUTO TECHNIQUES WILL BE GIVEN SECOND PRIORITY. IT IS FOR THIS REASON THAT IT IS IMPERATIVE THAT ALL SERIAL NUMBERS AND OTHER REQUIRED INFORMATION BE SUPPLIED. (SEE SECTION BB - VEHICLE IDENTIFICATION)

AA 1

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

SECTION BB

VEHICLE IDENTIFICATION

EACH MONZA MIRAGE SERIAL NUMBER IS AFFIXED TO THE SELF-ADHERING EMBOSSED VINYL "MIRAGE" PLAQUE LOCATED IN THE VEHICLE INTERIOR. MIRAGE SERIAL NUMBERS ARE CONSECUTIVE. THIS SERIAL NUMBER IS RECORDED ALONG WITH THE VEHICLE IDENTIFICATION NUMBER AT MICHIGAN AUTOMOTIVE TECHNIQUES CORPORATION.

IMPORTANT THE MIRAGE SERIAL NUMBER AND THE VEHICLE IDENTIFICATION NUMBER AS WELL AS THE DEALER CODE, VEHICLE MILEAGE AND DATE OF PURCHASE (CUSTOMER DELIVERY) MUST BE SUPPLIED TO OBTAIN PARTS FOR R & R.



MIRAGE IDENTIFICATION AND SERIAL NUMBER PLAQUE FACSIMILE

BB 1

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

SECTION CC

COLORS

MONZA MIRAGE IS SCHEDULED TO BE PRODUCED IN WHITE WITH RED, BLUE AND BLACK EXTERIOR STRIPING AND GRAPHICS. WHEN ADDITIONAL COLOR COMBINATIONS ARE SCHEDULED, A SUPPLEMENTAL INFORMATION BULLETIN WILL BE PROVIDED TO INSERT IN THIS CATALOG.

COLOR MATCHING WITH PAINT:

AUTO TECHNIQUES RECOMMENDS THE FOLLOWING DITZLER ACRYLIC LACQUERS
/BE SURE TO FOLLOW INSTRUCTIONS FOR FINISHING URETHANE PARTS/

WHITE	DITZLER 2058 (VEHICLE CODE 11)
RED	DITZLER 2546-D (VEHICLE CODE 75)
BLUE	DITZLER DDL-14532 (GM CORPORATE BLUE)
BLACK	DITZLER DDL-9381 (HI-PERFORMANCE SEMI-GLOSS BLACK)

DECAL REPAIRING WITH TAPE:

SHOULD A SMALL PORTION OF THE DECAL STRIPING BECOME DAMAGED IN WHITE OR BLACK AREAS, TRIMBRITE CUSTOM PINSTRIPING TAPE (SPARTAN PLASTICS) IN APPROPRIATE WIDTHS IS RECOMMENDED FOR MINOR REPAIRS. TRIMBRITE IS AVAILABLE AT MOST AUTO PARTS STORES AND SPEED SHOPS NATIONWIDE. USE HEAT GUN OR HAND-HELD HAIR DRIER TO FACILITATE RADIUSING ROUNDED CORNERS.


STRIPING PARTS R & R:

LOCATION OF MIRAGE DECAL STRIPING PARTS ON VEHICLE IS CONTAINED IN SECTION FF, AS WELL AS GENERAL APPLICATION INSTRUCTIONS.

SECTION DD

PARTS IDENTIFICATION BY PARTS NUMBERS CODES

ALL PARTS HAVE FIVE-DIGIT PARTS NUMBERS. THE PARTS NUMBERS ARE CODED AS FOLLOWS:



THUS, PART NUMBER 11202 IS A MONZA 2+2 STRIPING PART FOR THE RIGHT HAND SIDE OF THE CAR;
(STRIPE KIT FOR FENDER, FRONT RH)

DD 1

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

BODY PARTS - MASTER LISTING

ALPHABETICAL INDEX - BODY PARTS AND ILLUSTRATIONS

<u>PART NAME</u>	<u>DESCRIPTION</u>	<u>PART #</u>
AIR DAM, FRONT	Three piece, in prime with assy brackets ("pop" rivets reqd)	11103
FENDER FLARE, FRONT (LH)	In prime with attaching strip ("pop" rivets and 3M body sealant #08501 reqd)	11101
FENDER FLARE, FRONT (RH)	In prime with attaching strip ("pop" rivets and 3M body sealant #08501 reqd)	11102
FENDER FLARE, REAR (LH)	In prime with attaching strip and stamped end cap ("pop" rivets and 3M body sealant #08501 reqd)	11105
FENDER FLARE, REAR (RH)	In prime with attaching strip and stamped end cap ("pop" rivets and 3M body sealant #08501 reqd)	11106
HEADLIGHT COVERS, PAIR	For off-road use: clear plexiglass covers with installation hardware	11109
PLAQUE, MIRAGE INSTRUMENT PANEL	Self-adhering embossed vinyl, provision for serial number inscription	11111
SPOILER, REAR DECK	In prime with stamped mounting bracketry ("pop" rivets reqd)	11107
VEHICLE BODY PARTS COMPLETE PACKAGE	All parts necessary for entire vehicle except parts # 11109 and 11111	11120

THE MIRAGE BODY PARTS ARE MANUFACTURED BY AUTO TECHNIQUES USING REACTION INJECTION MOLDED (RIM) POLYURETHANE MATERIAL. THIS MATERIAL IS SIMILAR TO THE RESILIENT MATERIAL USED AS STANDARD PRODUCTION EQUIPMENT MONZA 2+2 AND CORVETTE FRONT AND REAR FACIA (BUMPER COVER) ASSEMBLIES.


IMPORTANT REPLACEMENT MIRAGE RIM POLYURETHANE PARTS ARE SUPPLIED IN PRIMER. FOLLOW CHEVROLET BODY SHOP MANUAL FOR REPAIRING AND/OR REFINISHING POLYURETHANE PARTS. REFINISHING PROCEDURES FOR THE MIRAGE BODY PARTS WITH URETHANE PRIMERS, FILLERS AND TOP COATS ARE IDENTICAL TO PROCEDURES FOR STANDARD MONZA 2+2 AND CORVETTE FACIAS. FAILURE TO FOLLOW THESE RECOMMENDED PROCEDURES WILL RESULT IN POOR AND OFTEN UNACCEPTABLE RESULTS.

EE 1

MICHIGAN
AUTOMOTIVE TECHNIQUES
 CORPORATION

AIR DAM, FRONT

11103




MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

EE 2

11101 (LH)
11102 (RH)

FENDER FLARE, FRONT

11101 (LH)
11102 (RH)




MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

EE 3

FENDER FLARE, REAR


11105 (LH)
11106 (RH)



MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

HEADLIGHT COVERS (FOR OFF-ROAD USE)

11109



MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

EE 5

614
500

SPOILER, REAR DECK

11107



MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

STRIPING PARTS - MASTER LISTING

ALPHABETICAL INDEX - STRIPING DECALS AND KIT ILLUSTRATIONS

NOTE: Striping parts are broken down into kits for R&R of a specific area of the vehicle. For example, to repair a door or a fender, it is necessary to order only the door or fender parts kit, not the entire vehicle striping package.

<u>PART NAME</u>	<u>DESCRIPTION</u>	<u>PART #</u>
AIR DAM, FRONT	Two stripes, LH & RH	11207
DOOR, (LH)	Two pieces, stripe and "monza MIRAGE"	11203
DOOR, (RH)	Two pieces, stripe and "MIRAGE monza"	11204
FENDER FLARE, FRONT (LH)	Three pieces, side stripe, fender top stripe and wastegate	11201
FENDER FLARE, FRONT (RH)	Three pieces, side stripe, fender top stripe and wastegate	11202
FENDER FLARE, REAR (LH)	Six pieces, side stripe fore and aft, wastegate, two fuel cap arrows and "unleaded fuel only"	11205
FENDER FLARE, REAR (RH)	Three pieces, side stripe fore and aft, wastegate	11206
HATCH AND SPOILER, REAR	Seven pieces, hatch fore and aft LH & RH, spoiler LH & RH, "monza MIRAGE"	11213
HOOD & COWL, FRONT	Four pieces, hood LH & RH, cowl LH & RH	11209
LOWER PANEL REAR	One piece black-out	11215
ROOF	Two pieces, roof LH & RH	11211
VEHICLE, COMPLETE	Total striping package for entire vehicle	11220

STRIPING PARTS APPLICATION

APPLICATION OF THE MIRAGE STRIPING PARTS MAY BE ACCOMPLISHED WITH EASE IF THESE GENERAL INSTRUCTIONS ARE FOLLOWED. FAMILIARIZE YOURSELF THOROUGHLY WITH THESE INSTRUCTIONS TO SAVE TIME WHILE INSTALLING AND PREVENT DAMAGE TO THE STRIPING PART.

APPROXIMATE LOCATION OF EACH PART IS NOTED IN THE ILLUSTRATIONS. SOME ADJUSTMENT TO THESE DIMENSIONS MAY BE NECESSARY TO INSURE PROPER VISUAL ALIGNMENT AS PRACTICALLY NO TWO VEHICLES ARE EXACTLY ALIKE DUE TO PRODUCTION TOLERANCES.

THE VEHICLE MUST BE ABSOLUTELY CLEAN IN THE AREA OF APPLICATION. REMOVE ANY FOREIGN MATTER WITH A GOOD SOLVENT SUCH AS DITZ -0 OR PRE-CLEANO. THE VEHICLE SURFACE MUST BE SMOOTH. WET SAND WITH 600 GRIT TO REMOVE FOREIGN PARTICLES IN THE PAINT IF NECESSARY.

MARK ALIGNMENT DIMENSIONS ON VEHICLE LIGHTLY WITH GREASE PENCIL OR SOFT-LEAD PENCIL. SPONGE DOWN ENTIRE APPLICATION AREA WITH SLIGHTLY SOAPY WARM WATER. REMOVE THE THICK PAPER ADHESIVE PROTECTOR SHEET FROM REAR OF DECAL. DO NOT REMOVE APPLICATION PAPER SIDE AT THIS TIME. IF YOU START TO REMOVE THE APPLICATION PAPER SIDE BY MISTAKE, THE BRIGHT COLORS OF THE DECAL WILL BE EXPOSED. AGAIN, DO NOT REMOVE THIS SIDE AT THIS TIME. SPONGE THE ADHESIVE SIDE OF THE DECAL GENEROUSLY WITH THE WARM SOAPY WATER AND APPLY THE DECAL TO THE VEHICLE. MAKE SURE THERE IS PLENTY OF WARM SOAPY WATER BETWEEN THE VEHICLE AND THE DECAL. THIS WILL ALLOW EASY SLIDING OF THE DECAL ON THE CAR TO FACILITATE PROPER ALIGNMENT.

AFTER ALIGNMENT USE THE HARD PLASTIC SQUEEGEE TO SQUEEZE OUT EXCESS WATER FROM BETWEEN THE DECAL AND THE BODY SURFACE. START IN THE CENTER OF THE DECAL AND SQUEEGEE OUTWARD IN ALL DIRECTIONS. CAREFULLY CHECK DECAL FOR TRAPPED AIR OR WATER BUBBLES. NOW REMOVE PROTECTIVE CARRIER APPLICATION PAPER. START AT ONE END OF THE DECAL AND PULL SLOWLY IN THE OPPOSITE DIRECTION WITH A STEADY HORIZONTAL-TO-THE-SURFACE MOVE. AFTER APPLICATION PAPER IS REMOVED, SPONGE DOWN THE DECAL AGAIN AND SQUEEGEE AGAIN, THIS TIME USING THE SOFT RUBBER SQUEEGEE. IF THIS PARTICULAR DECAL WRAPS AROUND OR INTO ANOTHER SURFACE SUCH AS A DOOR WRAP OR HOOD CUT WRAP, WAIT UNTIL THE EXPOSED ADHESIVE OF THE DECAL IS COMPLETELY DRY BEFORE WRAPPING.

IN RARE CASES, AN AIR BUBBLE OR WATER BUBBLE WILL NOT SQUEEGEE OUT. PIN-PRICK SUCH BUBBLES LIGHTLY AND SQUEEGEE. DO NOT USE RAZOR OR KNIFE TO PIN-PRICK. IF BECAUSE OF MISALIGNMENT THE DECAL MUST BE IMMEDIATELY REMOVED BEFORE SQUEEGEE, APPLY GENEROUS AMOUNTS OF THE SOAPY WATER WHILE REMOVING. ONCE THE DECAL HAS BEEN SQUEEGEED OUT, IT IS CONSIDERED PERMANENT APPLICATION AND USUALLY CANNOT BE SAVED IF REMOVED. THE DECAL WILL INCREASE IN ADHESION WITH AGE. AFTER AGING, THE DECAL CAN USUALLY BE REMOVED USING VERY HOT SOAPY WATER AND A FIRM WOOD TONGUE DEPRESSOR.

THE NECESSARY SQUEEGEES ARE SUPPLIED WITH EACH INDIVIDUAL STRIPING PARTS KIT FOR DECAL INSTALLATION.


FF 2

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

FF 3

AIR DAM, FRONT

11207



MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

100
100
100

CONSOLE
MICHIGAN
CORPORATION

DOOR

11203 (LH)
11204 (RH)

monza mirage


MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

FF 4

FF 5

FENDER FLARE AND FENDER UPPER, FRONT

11201 (LH)
11202 (RH)




MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

FF6

FENDER FLARE, REAR

11205 (LH)
11206 (RH)

"UNLEADED FUEL ONLY"
AND TWIN ARROWS WITH
11205 ONLY




MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION


HATCH AND SPOILER, REAR

11213

FF7



MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION



Approx. 13.0"

HOOD AND COWL, FRONT

11209


Approx. 12.0"

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

FF8

LOWER PANEL, REAR

11215




MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

FF 9

ROOF

11211




MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION

FF 10

AUTO TECHNIQUES

DÉCAL'S-CONTINUED

PART NO.	INDIVIDUALS	DESCRIPTION	DIRECT	LIST
11207		Air Dam, Front, Complete	12.30	19.86
	11207a	Right Wing	6.15	9.93
	11207b	Left Wing	6.15	9.93
11209		Hood & Cowl Complete	34.98	50.14
	11209a	Right Hood	13.99	20.05
	11209b	Left Hood	13.99	20.05
	11209c	Right Cowl	3.50	5.02
	11209d	Left Cowl	3.50	5.02
11211		Roof, Complete	35.00	50.10
	11211a	Right Roof	17.50	25.05
	11211b	Left Roof	17.50	25.05
11213		Rear Spoiler, Deck Lid, Hatch	35.41	54.84
	11213a	Right Deck Lid	5.76	8.93
	11213b	Left Deck Lid	5.76	8.93
	11213c	Right Spoiler	5.76	8.93
	11213d	Left Spoiler	5.76	8.93
	11213e	Right Hatch	5.36	8.28
	11213f	Left Hatch	5.36	8.28
	11213g	Monza Mirage Decal	1.65	2.56
11215		Rear Facia, Black Out	16.08	24.60
11220		Decal Set, Complete	169.26	210.87



**AUTOMOTIVE TECHNIQUES
CORPORATION**

10 BRETON INDUSTRIAL PARK, S.E.
AND RAPIDS, MICH. 49508

PHONE: (516) 243-1658
(FROM DETROIT CALL 541-0470)

AUTO TECHNIQUES

MONZA PRICE LIST: EFFECTIVE ON JULY 1, 1980

BODY PARTS

PART NO.	INDIVIDUALS	DESCRIPTION	DIRECT	LIST
11101		Frt. Fender (LH)*	83.21	104.03
11102		Frt. Fender (RH)*	83.21	104.03
11103		Air Dam, Frt., Complete	92.68	111.61
	11103a	Right Wing	20.81	24.60
	11103b	Left Wing	20.81	24.60
	11103c	Center Section	51.06	62.41
11105		Rear Fender (LH)*	96.46	117.25
11106		Rear Fender (RH)	96.46	117.25
11107		Spoiler, Rear Deck	73.76	89.83
11120		Complete Body Parts Kit	480.36	586.26
11221		Extrusions		
	11221a	Right Frt. Extrusion	2.89	3.78
	11221b	Left Frt. Extrusion	2.89	3.78
	11221c	Right Rear Extrusion	2.89	3.78
	11221d	Left Rear Extrusion	2.89	3.78
11222		End Caps		
	11222a	Right End Cap	1.90	3.29
	11222b	Left End Cap	1.90	3.29

*Painted in 11L White

DECALS

PART NO.	INDIVIDUALS	DESCRIPTION	DIRECT	LIST
11201		Frt. Fender Complete (LH)	17.97	27.44
	11201a	Frt. Fender Upper	12.58	19.21
	11201b	Frt. Fender Lower	4.49	6.85
	11201c	Frt. Fender Black Facia	.90	1.38
11202		Front Fender Complete (RH)	17.97	27.44
	11202a, b, c	Same as 11201 above except RH		
11203		Door, Complete (LH)	16.08	24.60
	11203a	Door, Signature	9.46	14.51
	11203b	Door, Stripe	6.62	10.09
11204		Door, Complete (RH)	16.08	24.60
	11204a, b,	Same as 11203 above except LH		
11205		Rear Fender Complete (LH)	17.69	27.06
	11205a	Rear Fender-Front of Whl.	4.81	7.38
	11205b	Rear Fender-Behind Whl.	9.66	14.74
	11205c	Rear Fender Black Facia	1.61	2.47
	11205d	Gas Cap Arrows	1.61	2.47
11206		Rear Fender Complete (RH)	16.08	24.59
	11206a	Rear Fender-Frt. of Whl.	4.81	7.38
	11206b	Rear Fender-Behind Whl.	9.66	14.74
	11206c	Rear Fender Black Facia	1.61	2.47

MICHIGAN
AUTOMOTIVE TECHNIQUES
CORPORATION